

Description

This hot melt glue stick is commonly used for gluing porcelain and ceramic, toys, plastics, packing materials, wood and bamboo products, lamps and lanterns.

Recommended Use

Multiple uses

Technical specifications

Appearance (22°C)	stick
Viscosity 177°C (350°F)	9400 ,ax
Softening point	76 - 82 °C
Melt Index	15 - 18 g/min

Operating conditions

Suggested running temperature : 163-185°C (325-365°F).

Precautions

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Clean up

Clean up method: Heat, scraper, mineral oil or paraffin. Do not exceed 300°F/150°C.

Shelf life / Storage conditions

. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Certification

This product meets composition requirements of Indirect Food Additives Regulation 21 CFR 175.105 Adhesives. The use of adhesive does not contravene Division 23 of the Canadian Food and Drug Regulations. (No-objection letter) The adhesive must be applied to the exterior surface of a functional barrier food packaging material. The glued surfaces must not come in contact with the food contact surface of the food packaging material. This is to preclude any migration of the chemical components of the adhesive to the food or food contact surfaces.

Product code

C1210094580

DISCLAIMER The information provided is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. While the information contained herein is believed to be reliable, no representations, guarantees or warranties of any kind are made as to its accuracy, suitability for a particular application or the results to be obtained herefrom. The company cannot guarantee how any products associated with this information will perform in combination with other substances or in the User's process. Due to variations in methods, conditions and equipment used commercially in processing these materials, no warranties or guarantees are made as to the suitability of the information or products for the applications disclosed. The company shall not be liable and the User assumes all risk and responsibility for any use or handling of any material beyond the company direct control. THE COMPANY MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. It is the User's sole responsibility to determine if there are any issues relating to patent infringement of any component or combination of components relating to the supplied information. Nothing contained herein is to be considered as permission, recommendation, nor as an inducement to practice any patented invention without permission of the patent owner. Because of possible changes in the laws and regulations, as well as possible changes in our products, we cannot guarantee that the status of this product will remain unchanged. Therefore, we recommend that customers continuing to use this product verify its status periodically.

For more information, please consult our safety data sheet or consult our technical service department.



690 boulevard Industriel, Saint-Eustache, Qc, Canada J7R 6C3
Tel : 1-(877)382-6722
Courriel : regulatory@evanscanada.ca